

ARTICLE 39-8: Signage



Zone Districts

Form Based Code

4 Add'l Use Standards

Site Design Review Standards

5

6 Landscaping/ Green Inf.

7 Lighting

Signage

9 General Standards

10 Streets/ Sidewalks/ Driveways

11 Subdivision of Land

12 Processes/ Admin.

Nonconformities

> 14 Definitions

SECTION 39-8.01 INTENT

Signs perform an important function in identifying and promoting businesses, services, neighborhoods, events, economic development, and other matters of interest to the public.

The intent of this Article is to regulate all *signs* within the City of Holland to ensure that they are appropriate for their respective uses, they keep with the neighborhood characteristics as recognized and promoted by the City of Holland's *Master Plan*, they prevent traffic hazards, they provide safe conditions for pedestrians, and they protect public health, safety, and general welfare by:

- Setting standards and providing uniform regulations that permit reasonable use of signs;
- B. Preserving the various characteristics found within the Zone Districts and neighborhoods throughout the City of Holland, regardless of sign content. In preserving the character of the various neighborhoods, signage shall be scaled appropriately whereby properties with frontage on wide streets with higher speed limits are permitted larger signs than narrow streets with lower speed limits;
- C. Prohibiting the erection of signs that may create a hazard to pedestrians and motorists in terms of number, size, illumination, and location.
- D. **Avoiding excessive amounts of** *signs* so that the existing *signs* provide adequate identification and direction while minimizing clutter, unsightliness, and confusion; and
- E. **Establishing a clear process** for requiring permits for *signs*, allowing some *signs* without permits, and allowing legally *nonconforming signs* to continue without jeopardizing the useful life of the *sign*.

SECTION 39-8.02 PERMITS REQUIRED

- A. A Permit is required to erect, alter, place, or replace any sign or sign structure as regulated and required by this Article or by the City's Code of Ordinances. A permit is also required for substantial maintenance or repair to an existing nonconforming sign.
- B. To obtain a sign permit, an application shall be filed with Community and Neighborhood Services. Exception: Sign permits in the CDT, NDT, EDT, WDT and CENT Sub-Districts of the F Zone District shall be reviewed and issued by the Downtown Development Authority (DDA).
- C. The Design Review Board (DRB) shall review all signs in the CDT, NDT, EDT, WDT and CENT Sub-Districts of the F Zone District. See Section 39-8.08.

SECTION 39-8.03 SIGNS EXEMPT FROM PERMITS

The following *signs* may be installed or erected without a permit:

- A. Government signs
- B. **Public K-12 school signs** where the State Superintendent has exclusive jurisdiction.
- C. Placards
- D. **Historic markers** placed under the authority of the Local, State, or Federal government.
- E. Address numbers
- F. **Hours of operation** and other similar business information.
- G. Window signs applied to the interior of the window/door glass.
- H. Window signs applied to the exterior of the window/door glass where the sign does not exceed 15% of the glass area. Windows that are immediately adjacent, on the same wall face of the same building, may be averaged together.
- Non-commercial flags

- J. Advertising flags at non-residential properties with a maximum size of 15 square feet, with one per business per street frontage. Other types of flags, or multiple flags shall be allowed as a temporary sign with a permit.
- K. **Non-commercial** *signs* in all *Zone Districts* subject to the following:

STREET FRONTAGE	TOTAL SIZE	HEIGHT	NUMBER		
Up to 60 linear ft	12 sf	6 ft	No limit on the number of signs,		
61-200 linear ft	24 sf	6 ft	but the total area of all signs		
201-400 linear ft	32 sf	6 ft	added together		
Over 400 linear ft	64 sf	6 ft	shall not exceed the "total size."		

- L. One temporary sign per special event at non-residentially used properties in the LDR, CNR, MDR, or TNR Zone Districts, provided that the sign is not displayed for more than 2 weeks per event.
- M. Handicap Signage with the international symbol of accessibility or van accessible recognized logo for Americans with Disability Act (ADA) compliance and accessibility.
- N. Signs in conjunction with a construction project or site plan approval, subject to the size chart in the tables in <u>Section 39-8.04</u>. Signs shall be removed upon approval of the permit work or upon issuance of a Certificate of Occupancy.
- O. **Traffic direction signs** at commercial properties less than 6 square feet in area and 6 feet in height.
- P. *Temporary signs* for advancing the public interest, for a prescribed amount of time, when authorized by City Council.
- Q. Downtown Development Authority (DDA) Signs.
- R. **Writing or logos** that are an integral part of a fabric umbrella, used primarily to provide shade or cover to customers.

- S. **Murals:** There are two type of *murals*, referred to as *Type 1* and *Type 2*.
 - 1. Definitions.
 - a. Type 1: A design or representation that does not contain promotional or commercial advertising painted or drawn on a wall.
 - b. Type 2: An original, one-of-a-kind, unique design or representation that contains limited references to the establishment, product, or service provided on the site, which is painted or drawn on a wall on that site.
 - Type 1 and Type 2 Murals in all Zone
 Districts shall not be considered a sign,
 and shall not be required to obtain permits,
 but shall be subject to the restrictions set
 forth in this subsection.
 - Prior to installation of a mural, the property owner shall request a determination from the Zoning Administrator of whether the proposed design is a sign, or a Type 1 mural, or a Type 2 mural.
 - The Design Review Board (DRB) shall review the design if the proposed location is within the CDT, NDT, EDT, WDT, and CENT Sub-Districts of the F Zone District.
 - 5. Based on the review of the design:
 - a. If the proposed design is determined to be a *sign*, the *applicant* shall comply with all requirements of this Article.
 - b. If the proposed design is determined to be a *Type 1 mural*, no further review or action is necessary.
 - If the proposed design is determined to be a *Type 2 mural*, the *mural* shall comply with the following requirements:
 - The graphics, words, and/or symbols referencing the establishment, product, or service are limited in scope and dominance, and not readily construed as commercial advertising. References shall be subtle and integrated into the overall mural.

2 Zone Districts

3 Form Based Code

4 Add'l Use Standards

5Site Design
Review
Standards

6 Landscaping/ Green Inf.

7 Lighting

> **3** Signage

9 General Standards

10 Streets/ Sidewalks/ Driveways

11 Subdivision of Land

12 Processes/ Admin.

13 Nonconformities

Zone Districts

> Form Based Code

Add'l Use Standards

5 Site Design Review Standards

6 Landscaping/ Green Inf.

7 Lighting

Signage

9 General Standards

10 Streets/ Sidewalks/ Driveways

11 Subdivision of Land

12 Processes/ Admin.

Non-conformities

14 Definitions

- 2) For purposes of this subsection, "limited in scope and dominance" shall mean that the graphics, words, or symbols that reference the establishment, product, or service do not exceed 20% of the mural area, and shall be integrated throughout the mural and not placed in a concentrated area or a manner where it becomes a prominent advertisement.
- 3) The references to an establishment, product, or service are not in the form of traditional building signage. Traditional signs on the same wall shall be reviewed separately under applicable sign requirements.



T. **Banners** as allowed and installed in accordance with the "City of Holland Banner Policy for Community Improvement Neighborhood Organizations and Business Districts.

SECTION 39-8.04 SIGNS ALLOWED WITH A PERMIT

See Article 39-14 for definitions of sign types.

ZONE DISTRICTS: F-CDT, F-NDT, F-EDT, F-WDT, F-CENT **TEMPORARY WALL SIGN FREESTANDING AWNING/CANOPY/** Regulation **PROJECTING SIGN FREESTANDING** A B C SIGN C MARQUEE D SIGN (E **GL** BE United llon-Zpr **Examples** Mon-Fri Signs shall be placed Signs shall be placed Signs shall be placed below the 2nd floor below the 2nd floor below the 2nd floor Maximum windowsill, unless waived windowsill, unless 6 ft windowsill, unless 48 in Height waived by the DRB. by the DRB. See Section waived by the DRB. See Section 39-8.08 39-8.08 See Section 39-8.08 1 sf per linear foot of Maximum 2 sf per linear foot of building width, up to 32 sf 6 sf 30 in deep, 30 in wide building width Size 32 sf per sign 1 per business per street 1 per business, per 1 per face of the Maximum frontage; no more than street or parking 1 per property awning, canopy, or 1 per business 1 per 25 feet of building Number frontage marquee width Projecting signs that extend over the public Awnings, canopies, right-of-way shall comply marquees, and The principal building Shall be within 1 ft projecting signs that with Section 39-8.10.B. Minimum setback in the Zone of the building. Shall N/A extend over the public District. See Section leave at least 6 ft of Setback Projecting signs shall right-of-way shall 39-3.13 unobstructed sidewalk. comply with Section not project more than 36 in from the face of a 39-8.10.B. building or wall projection ht ht Diagram ht. ht. ht. clear = sign area = sign area = sign area = sign area = sign area

- A Wall signs shall be contained within the boundaries of the wall and shall not extend beyond the edge of the wall, nor above the roof line of a building.
- B For wall signs, the distance between the face of the wall and the face of the sign **shall not be more than 12 in**. If the distance is greater than 12 in, the sign shall be considered a projecting sign.
- C Reader boards are allowed on a wall or a freestanding sign, but not on both signs at one property.
- D Signs shall be affixed **flat to the face** of the awning or canopy.
- For Temporary movable freestanding signs shall be subject to the requirements of Section 39-8.07.
- F Signs in a PUD Zone District will be allowed using the standards of this chart. See Section 39-8.02.

1 Toolbox

2 Zone Districts

3 Form Based Code

4 Add'l Use Standards

5 Site Design Review Standards

6 Landscaping/ Green Inf.

7 Lighting

8 Signage

9 General Standards

10 Streets/ Sidewalks/ Driveways

11 Subdivision of Land

12 Processes/ Admin.

13 Nonconformities

Zone Districts

Form Based Code

4 Add'l Use Standards

5 Site Design Review Standards

6 Landscaping/ Green Inf.

7 Lighting

8 Signage

9 General Standards

10 Streets/ Sidewalks/ Driveways

11 Subdivision of Land

12 Processes/ Admin.

Nonconformities

14 Definitions

ZONE DISTRICTS: NMU, RMU, F-RM, F-SIXT, F-WASH, F-SSV					
Regulation	WALL SIGN	FREESTANDING SIGN ^C	PROJECTING SIGN	AWNING/CANOPY/ MARQUEE D	TEMPORARY FREESTANDING SIGN E
Examples	SPRING SWEET	United Part of the Control of the Co	Retties Pretties	Se curious	LUNCH Special Ilon-2pn Mon-Pri
Maximum Height	N/A	5 ft	Awnings, canopies, marquees, and projecting signs that extend over the public right-of-way shall comply with Section 39-8.10.B.	Awnings, canopies, and marquees shall not project more than 48 in from the face of a building or wall and shall maintain a clearance of at least 8 ft from the public sidewalk.	48 in
Maximum Size	1 sf per linear foot of building width	25 sf on streets with a speed limit of 10 – 35mph. 50 sf on streets with a speed limit greater than 35mph.	6 sf	2 sf per linear foot of building width	30 in deep, 30 in wide
Maximum Number	1 per business, per street or parking frontage	1 per property	1 per business, per street or parking frontage	1 per face of the awning, canopy, or marquee	1 per business
M inimum Setback	May only be placed on a wall facing a street or parking area	5 ft	Projecting signs that extend over the public right-of-way shall comply with Section 39-8.10.B. Projecting signs shall not project more than 36 in from the face of a building or wall	Awnings, canopies, marquees, and projecting signs that extend over the public right-of-way shall comply with Section 39-8.10.B. Awnings, canopies, and marquees shall not project more than 48 in from the face of a building or wall and shall maintain a clearance	Shall be within one foot of the building. Shall leave at least 6 ft of unobstructed sidewalk.
Diagram	BAR AND GRILLE ht.	ht.	projection or store ht. clear.	of at least 8 ft from the public sidewalk.	ht.

- A Wall signs shall be contained within the boundaries of the wall and shall not extend beyond the edge of the wall, nor above the roof line of a building.
- B For wall signs, the distance between the face of the wall and the face of the sign shall not be more than 12 in. If the distance is greater than 12 in, the sign shall be considered a projecting sign.

= sign area

= sign area

C Reader boards are allowed on a wall or a freestanding sign, but **not on both signs** at one property.

= sign area

D Signs shall be affixed **flat to the face** of the awning or canopy.

= sign area

- E Temporary movable freestanding signs shall be subject to the requirements of Section 39-8.07.
- F Signs in a PUD Zone District will be allowed using the standards of this chart. See Section 39-8.02.

= sign area

ZONE DISTRICTS: CMU, GMU						
Regulation	WALL SIGN A B C	FREESTANDING SIGN ^C	PROJECTING SIGN	AWNING/CANOPY/ MARQUEE D	TEMPORARY FREESTANDING SIGN E	
Examples	SPRING SWEET	United 1075	Retties Pretties	GLOBE GLOBE GLOBE GRANDING GHORRANIA	Lunch Special Ilon-Eki Ilon-Fki	
Maximum Height	N/A	25 ft	Projecting signs shall not project more than 36 in from the face of a building or wall and shall maintain a clearance of at least 8 ft from the public sidewalk.	Awnings, canopies, and marquees shall not project more than 48 in from the face of a building or wall and shall maintain a clearance of at least 8 ft from the public sidewalk.	48 in	
Maximum Size	10% of the wall area, for each wall where signs are placed	75 sf per sign	6 sf	2 sf per linear foot of building width	30 in deep, 30 in wide	
Maximum Number	No Maximum	1 sign if 300 or fewer ft of frontage; 2 signs if more than 300 ft of frontage	1 per business per street frontage	1 per face of the awning, canopy, or marquee	1 per business	
Minimum Setback	N/A	12 ft	Projecting signs shall not project more than 36 in from the face of a building or wall and shall maintain a clearance of at least 8 ft from the public sidewalk.	Awnings, canopies, marquees, and projecting signs that extend over the public right-of-way shall comply with Section 39-8.10.B.	Shall be located on private property, within 1 ft of the building.	
Diagram	BAR AND GRILLE ht.	ht.	projection ht. clear. = sign area	ht.	ht. = sign area	

- A Wall signs shall be contained within the boundaries of the wall and shall not extend beyond the edge of the wall, nor above the roof line of a building.
- B For wall signs, the distance between the face of the wall and the face of the sign **shall not be more than 12 in**. If the distance is greater than 12 in, the sign shall be considered a projecting sign.
- C Reader boards are allowed on a wall or a freestanding sign, but **not on both signs** at one property.
- D Signs shall be affixed flat to the face of the awning or canopy.
- **E Temporary movable** freestanding signs shall be subject to the requirements of <u>Section 39-8.07</u>.
- F Signs in a PUD Zone District will be allowed using the standards of this chart. See Section 39-8.02.

2 Zone Districts

3 Form Based Code

4 Add'l Use Standards

5 Site Design Review Standards

6 Landscaping/ Green Inf.

7 Lighting

gnage

9 General Standards

10 Streets/ Sidewalks/ Driveways

11 Subdivision of Land

12 Processes/ Admin.

13 Nonconformities

Zone Districts

Form Based Code

Add'l Use Standards

5 Site Design Review Standards

6 Landscaping/ Green Inf.

7 Lighting

8 Signage

9 General Standards

10 Streets/ Sidewalks/ Driveways

11 Subdivision of Land

12 Processes/ Admin.

13 Nonconformities

> 14 Definitions

ZONE DISTRICT: OS, A					
Regulation	WALL SIGN A B C	FREESTANDING SIGN ^C	PROJECTING SIGN	AWNING/CANOPY/ MARQUEE D	TEMPORARY FREESTANDING SIGN E
Examples	SPRING SWEET	United reason and the second s	Pretties	BB CURIOUS	LUNCH Special Ilan-2pn Mon-Fix
Maximum Height	N/A	6 ft	Projecting signs shall not project more than 36 in from the face of a building or wall and shall maintain a clearance of at least 8 ft from the public sidewalk.	Awnings, canopies, marquees, and projecting signs that extend over the public right-of-way shall comply with Section 39-8.10.B.	48 in
Maximum Size	10% of the wall area, for each wall where signs are placed	32 sf per sign	6 sf	2 sf per linear foot of building width	30 in deep, 30 in wide
Maximum Number	No Maximum	2 per property	1 per tenant, per building wall	N/A	1 per business
Minimum Setback	N/A	12 ft	Projecting signs shall not project more than 36 in from the face of a building or wall and shall maintain a clearance of at least 8 ft from the public sidewalk.	Awnings, canopies, and marquees shall not project more than 48 in from the face of a building or wall and shall maintain a clearance of at least 8 ft from the public sidewalk.	Shall be located on private property, within 1 ft of the building.
Diagram	BAR AND GRILLE ht.	ht.	projection tor store ht. clear.	ht.	ht.

- (A) Wall signs shall be contained within the boundaries of the wall and shall not extend beyond the edge of the wall, nor above the roof line of a building.
- B For wall signs, the distance between the face of the wall and the face of the sign **shall not be more than 12 in**. If the distance is greater than 12 in, the sign shall be considered a projecting sign.

= sign area

= sign area

C Reader boards are allowed on a wall or a freestanding sign, but **not on both signs** at one property.

= sign area

D Signs shall be affixed **flat to the face** of the awning or canopy.

= sign area

- **E Temporary movable** freestanding signs shall be subject to the requirements of <u>Section 39-8.07.</u>
- F Signs in a PUD Zone District will be allowed using the standards of this chart. See Section 39-8.02.

= sign area

ZONE DISTRICTS: LDR, CNR, MDR, TNR

Signs in these zones only allowed with non-residential uses.

Regulation	WALL SIGN	FREESTANDING SIGN ^C	PROJECTING SIGN	AWNING/CANOPY/ MARQUEE D	TEMPORARY FREESTANDING SIGN E
Examples	SPRING SWEET	United Parties that the	Pretties	Se curious	LUNCH Special Hon-Zpn Moot-Fix
Maximum Height	N/A	6 ft	N/A	N/A	48 in
Maximum Size	12 sf	32 sf per sign	6 sf	2 sf per linear foot of building width	30 in deep, 30 in wide
Maximum Number	1 per street frontage	2 per property	1 per building wall	1 per face of the awning, canopy, or marquee	1 per property
Minimum Setback	N/A	Signs less than 16 sf shall be set back 10 ft from all property lines. Signs greater than 16 sf shall be set back at the minimum setback for principal buildings in the Zone District.	Projecting signs shall not project more than 36 in from the face of a building or wall and shall maintain a clearance of at least 8 ft from the public sidewalk.	Awnings, canopies, and marquees shall not project more than 48 in from the face of a building or wall and shall maintain a clearance of at least 8 ft from the public sidewalk.	Shall be located on private property, within 1 ft of the building.
Diagram	BAR AND GRILLE ht.	ht.	projection ht. clear. = sign area	ht.	ht.

- Wall signs shall be contained within the boundaries of the wall and shall not extend beyond the edge of the wall, nor above the roof line of a building.
- B For wall signs, the distance between the face of the wall and the face of the sign **shall not be more than 12 in**. If the distance is greater than 12 in, the sign shall be considered a projecting sign.
- C Reader boards are allowed on a wall or a freestanding sign, but **not on both signs** at one property.
- D Signs shall be affixed **flat to the face** of the awning or canopy.
- E Temporary movable freestanding signs shall be subject to the requirements of Section 39-8.07.
- F Signs in a PUD Zone District will be allowed using the standards of this chart. See Section 39-8.02.

1 Toolbox

2 Zone Districts

3 Form Based Code

4 Add'l Use Standards

5Site Design
Review
Standards

6 Landscaping/ Green Inf.

7 Lighting

> **3** Signage

9 General Standards

10 Streets/ Sidewalks/ Driveways

11 Subdivision of Land

12 Processes/ Admin.

13 Nonconformities

Zone Districts

Form Based Code

Add'l Use Standards

5 Site Design Review Standards

6 Landscaping/ Green Inf.

7 Lighting

8 Signage

9 General Standards

Streets/ Sidewalks/ Driveways

11 Subdivision of Land

12 Processes/ Admin.

13 Nonconformities

> 14 Definitions

ZONE DISTRICTS: HDR, MHR					
Regulation	WALL SIGN A B C	FREESTANDING SIGN ^C	PROJECTING SIGN	AWNING/CANOPY/ MARQUEE D	TEMPORARY FREESTANDING SIGN E
Examples	SPRING SWEET	United Part of the Control of the Co	Pretties	Be curious	LUNCH Special Ilan-2pn Mon-Fri
Maximum Height	N/A	6 ft	Projecting signs shall not project more than 36 in from the face of a building or wall and shall maintain a clearance of at least 8 ft from the public sidewalk.	N/A	48 in
Maximum Size	12 sf	32 sf per sign	6 sf	2 sf per linear foot of building width	30 in deep, 30 in wide
Maximum Number	1 per street frontage	2 per property	1 per building wall	1 per face of the awning, canopy, or marquee	1 per building
Minimum Setback	N/A	Signs less than 16 sf shall be set back 12 ft from all property lines. Signs greater than 16 sf shall be set back at the minimum setback for principal buildings in the Zone District.	Projecting signs shall not project more than 36 in from the face of a building or wall and shall maintain a clearance of at least 8 ft from the public sidewalk.	Awnings, canopies, and marquees shall not project more than 48 in from the face of a building or wall and shall maintain a clearance of at least 8 ft from the public sidewalk.	Shall be located on private property, within 1 ft of the building.
Diagram	BAR AND GRILLE ht.	ht.	projection root store that clear.	ht.	ht.

- (A) Wall signs shall be contained within the boundaries of the wall and shall not extend beyond the edge of the wall, nor above the roof line of a building.
- B For wall signs, the distance between the face of the wall and the face of the sign **shall not be more than 12 in**. If the distance is greater than 12 in, the sign shall be considered a projecting sign.

= sign area

= sign area

C Reader boards are allowed on a wall or a freestanding sign, but **not on both signs** at one property.

= sign area

D Signs shall be affixed **flat to the face** of the awning or canopy.

= sign area

- **E Temporary movable** freestanding signs shall be subject to the requirements of <u>Section 39-8.07.</u>
- F Signs in a PUD Zone District will be allowed using the standards of this chart. See Section 39-8.02.

= sign area

ZONE DISTRICT: I						
Regulation	WALL SIGN	FREESTANDING Sign ^C	PROJECTING SIGN	AWNING/CANOPY/ MARQUEE D	TEMPORARY FREESTANDING SIGN E	
Examples	SPRING SWEET	United Para Marie Marie 1975	Fretties Pretties	BE CURIOUS Have vision. GL BE Space Curious	LUNCH Special Non-Zpm	
Maximum Height	N/A	10 ft	Projecting signs shall not project more than 36 in from the face of a building or wall and shall maintain a clearance of at least 8 ft from the public sidewalk.	Awnings, canopies, and marquees shall not project more than 48 in from the face of a building or wall and shall maintain a clearance of at least 8 ft from the public sidewalk.	48 in	
Maximum Size	10% of the wall area, for each wall where signs are placed	75 sf per sign	6 sf	2 sf per linear foot of building width	30 in deep, 30 in wide	
Maximum Number	No Maximum	1 sign if 300 or fewer ft of frontage; 2 signs if more than 300 ft of frontage	1 per storefront or 1 per street frontage if building does not have storefronts	1 per face of the awning, canopy, or marquee	1 per business	
Minimum Setback	N/A	The principal building setback in the Zone District.	Projecting signs shall not project more than 36 in from the face of a building or wall and shall maintain a clearance of at least 8 ft from the public sidewalk. Awnings, canopies, marquees, and projecting signs that extend over the public right-of-way shall comply with Section 39-8.10.B.	Awnings, canopies, and marquees shall not project more than 48 in from the face of a building or wall and shall maintain a clearance of at least 8 ft from the public sidewalk.	Shall be located on private property, within 1 ft of the building.	
Diagram	BAR AND GRILLE ht. = sign area	ht.	projection ht. clear. = sign area	ht.	ht. = sign area	

- Wall signs shall be contained within the boundaries of the wall and shall not extend beyond the edge of the wall, nor above the roof line of a building.
- B For wall signs, the distance between the face of the wall and the face of the sign shall not be more than 12 in. If the distance is greater than 12 in, the sign shall be considered a projecting sign.
- C Reader boards are allowed on a wall or a freestanding sign, but **not on both signs** at one property.
- D Signs shall be affixed **flat to the face** of the awning or canopy.
- **E** Temporary movable freestanding signs shall be subject to the requirements of Section 39-8.07.
- F Signs in a PUD Zone District will be allowed using the standards of this chart. See Section 39-8.02.

2 Zone Districts

Form Based Code

4 Add'l Use Standards

5 Site Design Review Standards

6 Landscaping/ Green Inf.

7 Lighting

gnage

9 General Standards

10 Streets/ Sidewalks/ Driveways

11 Subdivision of Land

12 Processes/ Admin.

13 Nonconformities

Zone Districts

Form Based Code

Add'l Use Standards

5 Site Design Review Standards

6 Landscaping/ Green Inf.

7 Lighting

Signage

9 General Standards

10 Streets/ Sidewalks/ Driveways

11 Subdivision of Land

Processes/

Non-conformities

14 Definitions

PUD PLANNED UNIT DEVELOPMENT ZONE DISTRICT (SECTION 39-5.10):

- Signs shall generally comply with the sign requirements of the closest Zone District. Planning Commission may approve variations when rationale is provided.
- 2. Professional *sign* specifications shall be included with a PUD application to be reviewed and approved by *Planning Commission*.
- 3. A *Sign* Permit shall be obtained from the Zoning Administrator prior to erecting *signage*.
- 4. PUD Zones created prior to UDO:

 Signage shall be installed as approved by the Planning Commission in the original development plan, or subsequent modifications. Requested signage that does not meet the requirements of the development plan shall be reviewed by the Planning Staff and the original development plan modified. Significant or substantial signage changes shall be referred to the Planning Commission for approval.

ED EDUCATION ZONE DISTRICT:

All signs in the ED Zone District shall require a permit, unless otherwise exempted. Signs shall have no height or area restrictions and have a zero setback from the property line. Signs in this Zone District are intended primarily to be of such size, scale and location to serve this pedestrian-oriented community.

SECTION 39-8.05 ADDITIONAL SIGNS PERMITTED IN COMMERCIAL AND INDUSTRIAL DISTRICTS

The following signs are permitted in the NMU, CMU, RMU, GMU, I, A, and F Zone Districts, in addition to those described in Section 39-8.04. These signs shall also be permitted in the PUD Zone District, unless specifically prohibited by the PUD agreement.

- A. **Temporary Signs.** Temporary displays containing pennants, streamers, banners, balloons, balloon signs, feather signs and other similar temporary signs are allowed, subject to a sign permit, provided:
 - They shall not be displayed for more than 14 consecutive days;
 - 2. No more than **2 permits** will be issued per **calendar year**, per *parcel* of land;
 - 3. **Size and Location:** *Signs* shall comply with yard and height requirements for similar *signs* in the *Zone District*.
- B. **Drive-Thru Restaurant Signs.** Additional signage is allowed for drive-thru restaurants with the following standards:
 - Maximum 32 square feet per sign;
 - Shall not be readable from the public rightof-way;
 - Speakers shall be directed away from residential uses.
- C. Neighborhood Commercial District Identifier Sign. A sign used for the purpose of identifying an established neighborhood commercial area shall be permitted with the following standards:
 - The neighborhood commercial area shall be comprised of 2 or more storefront businesses on 2 or more separate properties;
 - The size, type, and location of the sign(s) is compatible with the neighborhood commercial district in which the signs will be located;

- The signs will enhance the identification of the established neighborhood commercial area and benefit all businesses;
- Maximum of **2** signs of similar design, located in or near the established neighborhood commercial area;
- 5. Signs shall be located on private property;
- Freestanding signs shall not exceed a maximum of 6 feet in height and 25 square feet in area and shall not create a visibility hazard for motorists or pedestrians;
- Wall signs shall not exceed a maximum of 25 square feet in area and shall be placed on the front façade or side of a building.
- D. Directional Signage at Commercial or Industrial Complexes. Additional signage may be installed for the purpose of directing traffic, in addition to other allowed signs, with the following standards:
 - The property shall contain 2 or more commercial/industrial buildings;
 - Signs shall be placed at the interior of the parcel and shall not be readable from the public right-of-way;
 - 3. **1 sign** is permitted per *property*;
 - 4. Maximum Size: 12 square feet.
- E. Community Improvement Neighborhood Organization and Business District Banners as allowed in Section 39-8.03.

SECTION 39-8.06 ILLUMINATED AND ELECTRONIC SIGNS

- A. All signs may be internally or externally illuminated, except for movable freestanding signs. If externally illuminated, the source of light shall be enclosed and directed to prevent light from shining directly onto traffic or residential properties.
- B. **Signs** shall not scroll, flash, blink, oscillate, or have any other appearance of movement.
- C. Electronic Reader Board Signs

1 Toolbox

2 Zone

3 Form Based Code

4 Add'l Use Standards

5Site Design
Review
Standards

6 Landscaping/ Green Inf.

7 Lighting

8 Signage

9 General Standards

10 Streets/ Sidewalks/ Driveways

11 Subdivision of Land

12 Processes/ Admin.

13 Nonconformities

Zone Districts

Form Based Code

Add'l Use Standards

5 Site Design Review Standards

6 Landscaping/ Green Inf.

7 Lighting

8 Signage

9 General Standards

10 Streets/ Sidewalks/ Driveways

11 Subdivision of Land

12 Processes/ Admin.

Nonconformities

> 14 Definitions

- Electronic reader board signs, otherwise known as Electronic Message Centers (EMCs), shall have an instantaneous change between messages, with a minimum 7 second delay between displays.
- Electronic reader board signs are not permitted within the CDT, NDT, EDT, WDT, and CENT Sub-Districts of the F Zone District.
- Electronic reader board signs are permitted on a wall or freestanding sign, but not on both signs at one property.
- Glare shall be reduced and/or minimized in such a manner as to maintain an appropriate level of contrast during the day and at night.

SECTION 39-8.07 TEMPORARY MOVABLE FREESTANDING SIGNS

A. Standards.

- Attachment. The sign shall not be attached to a building, secured to the ground, nor permanently attached to any element, including, but not limited to, trees, signs, light poles, planters, etc.
- Location. A movable freestanding sign shall be placed within 1 foot of the building that contains the business using the sign. The sign may be placed on private property or within the public right-of-way.
- 3. Clear Public Sidewalk. There shall be provided at all times, an unobstructed, straight public sidewalk aisle of 6 feet in width. A movable freestanding sign shall not be placed in a manner that obstructs or impedes pedestrian traffic or sidewalk plowing/cleaning or create a visibility hazard for vehicular, bicycle, and/or pedestrian traffic.
- Construction. All movable freestanding signs shall be constructed of wood, metal, or other similarly durable material approved by the Community and Neighborhood Services Department (CNS). Movable freestanding signs shall have adequate

- support to prevent tipping or movement of the *sign* and shall not present a tripping hazard to pedestrians.
- 5. **Illumination.** *Movable freestanding signs* shall not be illuminated.

B. Limitations on Display.

- Movable freestanding signs shall be displayed only during the hours in which the business it promotes is open. The entire sign structure, including sign panel and supporting structure, shall be removed and placed indoors during those hours not on display.
- In the CDT, NDT, EDT, WDT, and CENT Sub-Districts of the F Zone District, movable freestanding signs shall not be displayed one hour before a Tulip Time Festival parade, during such parade, and one hour after such parade.

SECTION 39-8.08 DESIGN REVIEW BOARD (DRB)

- A. All signs in the CDT, NDT, EDT, WDT, and CENT Sub-Districts of the F Zone District, except movable freestanding signs, shall be approved by the Design Review Board (DRB).
- B. Standards for DRB Sign Approval. Prior to the issuance of a permit, the DRB shall find that all of the following standards are met, and shall document the findings. Findings of the DRB are advisory and may be appealed to the Board of Appeals. For purposes of interpretation, the DRB shall use local design guidelines, as may be amended, and the context of surrounding buildings and signage in determining whether a proposed sign meets the following standards.
 - 1. A *sign* shall be consistent with the **architectural characteristics** of the *building* upon which it is placed.
 - A sign shall not in any way obstruct or destroy unique architectural features of the building upon which it is placed nor of surrounding buildings.
- C. Additional Authority. The DRB shall also have the power to do the following within the CDT, NDT, EDT, WDT, and CENT Sub-Districts of the F Zone District: